

List of Drilling Material (Scrapped)

S.#	Plant	Material	Material Description Long Text	Qty on Hand	UoM
1	3610	117664	PACKOFF ASSY,13.13IN DIA BOWL,EMERGENCY,UH,S SEALS WELLHEAD BODY,9-5/8IN CASING,FS SEAL ID TO SEAL CSG STRING,WITH J SLOT PROFILE	1	EA
2	3610	117678	SEAL RING,MTL,S,ID TYPE,13IN OD,0.300IN CS,0.516IN LG	5	EA
3	3610	117684	SEAL RING,MTL,FS,ID TYPE,10.775IN OD	2	EA
4	3610	117687	PACKER,CSG,DOVETAIL	2	EA
5	3610	124402	DRIFT,WELL CSG,7IN,29PPF,6.059IN OD,42IN LG,ELASTOMER COATED NYLON,C/W PULL EYE EITHER END	2	EA
6	3610	131488	GASKET: RING JT RX24 316SS	7	EA
7	3610	235580	COLLAR,STOP,SLIP-ON TYPE,5IN,SPIR-O-LOK,C/W GRUB SCREWS	18	EA
8	3610	235591	CENTRALIZER,SPIRAL,SLIP-ON,5IN	10	EA
9	3610	1003781	COLLAR,STOP,TYPE JSH,9-5/8IN	22	EA
10	3610	1139344	CASING,13-3/8IN,BUTTRESS (BTC) BOX X PIN,68PPF,N80,INT JT RANGE 3 C/W CLOSED END THD PROTECTORS	6	JT
11	3610	1500099	DRIFT,WELL CSG,7IN	3	EA
12	3610	2006312	PUP JOINT,5IN,NK3SB BOX X PIN,18PPF,L80,1.5M LG,C/W CLOSED END THD PROTECTORS	4	JT
13	3610	2006314	CASING,9-5/8IN,NK3SB BOX X PIN,53.5PPF,L80,INT JT,RANGE 3 SPECIAL DRIFT C/W CLOSED END THD PROTECTORS PREMILIM	23	JT
14	3610	2006375	O-RING,KOP 7926040-358-3 F/THRT	2	EA
15	3610	2006422	CENTRALIZER,SOLID SPIRAL TYPE,9-5/8IN,11-7/8IN OD	19	EA
16	3610	2006425	COLLAR,STOP,J10S SLIP-ON TYPE,7IN	28	EA
17	3610	2006427	CENTRALIZER,RIGID SPIRAL TYPE,5IN,8IN OD	37	EA
18	3610	2006428	COLLAR,STOP,J10S SOLID TYPE,5IN	44	EA
19	3610	2006515	COLLAR,STOP,TYPE JSH,7IN	16	EA
20	3610	2006576	PUP JOINT,13-3/8IN,BUTTRESS (BTC) BOX X PIN,68PPF,L80,1.5M LG	2	JT
21	3610	2006577	PUP JOINT,13-3/8IN,BUTTRESS (BTC) BOX X PIN,68PPF,L80,3M LG	1	JT
22	3610	2006578	PUP JOINT,13-3/8IN,BUTTRESS (BTC) BOX X PIN,68PPF,L80,7M LG	3	JT
23	3610	2007905	CASING,5-1/2IN,FOX K BOX X PIN,17PPF,13CRL80,INT JT,RANGE 2,C/W PIN & BOX PROTECTORS,API 5CT	39	JT
24	3610	2007920	VALVE,GATE,5-1/8IN,SS410 BODY,FLG CONN	1	EA
25	3610	2007946	GASKET,RING,TYPE RX 73,21-1/4IN,2000PSI	6	EA
26	3610	2007956	GASKET,RING,TYPE BX 160,13-5/8IN,5000PSI	7	EA

S.#	Plant	Material	Material Description Long Text	Qty on Hand	UoM
27	3610	2007979	RUNNING & RETRIEVING TOOL,13-1/8 X 9-5/8IN,DRILL THRU WELLHEAD,4-1/2IN IF PIN X BOX	1	EA
28	3610	2007991	SEAL,FS,9-5/8IN PACKOFF BUSHING,10.775IN OD,0.0690IN SECTION,0.995IN LG	2	EA
29	3610	2008009	CASING,20IN,RL4S BOX X PIN,133PF,X56,INT JOINT,40FT LG,0.625IN WALL THK	1	JT
30	3610	60000142	CENTRALIZER,SOLID SPIRAL TYPE,7IN (7-1/8" ID),8-1/4IN OD,8"LONG	14	EA
31	3610	60001378	CASING,9-5/8IN,BUTTRESS (BTC) BOX X NK3SB,53.5PPF,L80,LANDING JOINT,10.25M LG,API 5CT	1	JT
32	3610	60001433	CASING,20IN,RL4S,X56,CONDUCTOR,6M LG,0.5IN WALL THK	1	JT
33	3610	60001434	SEAL,FS,E50158 MATL,9-5/8IN PACKOFF BUSHING	2	EA
34	3610	60001435	SEAL,S,9-5/8IN & 7IN PACKOFF,OD TYPE,13IN OD	3	EA
35	3610	60003357	PUP JOINT,5-1/2IN,FOX K BOX X PIN,17PPF,13CR80,6FT LG	2	EA
36	3610	60003358	PUP JOINT,7IN,FOX K BOX X PIN,29PPF,13CR80,6FT LG,API SPEC 5CT	5	EA
37	3610	60003585	PLUG,BLANKING,BYPASS,5.750IN,9CR/1MO	2	EA
38	3610	60003589	KIT,REDRESS,5.625IN BYPASS BLANKING PLUG,MODEL AFH	4	EA
39	3610	60003591	KIT: REDRESS 5.625" AFV CHK VLV	6	EA
40	3610	60004133	MULESHOE,WIRELINE ENTRY GUIDE,17PPF,GDE 13CR80,5-1/2IN FOX-K PIN	2	EA
41	3610	60004892	PACKING,PREFORMED,UWC,5/32IN X 5/8IN X 8.481IN OD,MANDREL HANGER RUNNING TOOL	2	EA
42	3610	60005053	PUP JOINT,7IN,FOX K BOX X PIN,29PPF,13CRL80,3FT LG,API SPEC 5CT	3	EA
43	3610	60005389	SEAL,13-5/8",BOP TEST PLUG,FMC 48-085842	1	EA
44	3610	60005965	SEAL,FMC WELLHEAD,TYPE XEMS,ALLOY STEEL PTFE COATED,13.490" OD X 11.255 ID X 1.000	4	EA
45	3610	60020764	COUPLING,CSG,7IN,29PPF,GDE 13CR80,JFE BEAR	26	EA
46	3610	60044623	SEAL,FS,ID TYPE,20.100IN TO 20.200IN CASING DIA	2	EA
47	3610	60044624	SEAL,FS,ID TYPE,20.000IN TO 20.100IN CASING DIA	4	EA
48	3610	60044625	SEAL,FS,ID TYPE,19.900IN TO 20.000IN CASING DIA	2	EA
49	3610	60044626	SCREW ASSY,LOCKDOWN,ET TYPE,1.125-8UN-2A X 10.312IN LG	2	EA
50	3610	60044627	PACKING,C121-S TYPE,20IN NOM OD X 13-3/8IN CASING,1.00IN LG	1	EA

S.#	Plant	Material	Material Description Long Text	Qty on Hand	UoM
51	3610	60044628	SEAL,FS,ID TYPE,13-3/8IN CASING DIA	2	EA
52	3610	60044629	SCREW ASSY,LOCKDOWN,ET TYPE	4	EA
53	3610	60044630	SEAL,FS,ID TYPE,10-3/4IN CASING DIA	2	EA
54	3610	60044631	SEAL,S,OD TYPE,8.776IN,8.724IN OD X 0.300IN CS X 0.516IN LG	3	EA
55	3610	60044632	PACKING,COMPRESSION,13.490IN OD X 11.240IN ID X 1.25IN LG	3	EA
56	3610	60044633	RING,COMPRESSION,13.469IN OD X 11.135IN ID X 2.64IN LG	1	EA
57	3610	60044636	SLEEVE,SEAL,SBMS TYPE,6.750IN DIA,F6NM	5	EA
58	3610	60044638	GASKET,RING,SS316,R-54,11IN,5000PSI	2	EA
59	3610	60044641	SEAL,DOVETAIL,18.688IN ID X 0.390IN CS X 0.900IN LG	1	EA
60	3610	60044645	SEAL,DOVETAIL,9.625IN ID X 0.390IN CS X 0.900IN LG	1	EA
61	3610	60045938	CROSSOVER,CASING,7IN 29PPF NEW VAM BOX,7IN 29PPF FOX PIN,13CR80KSI,7.681IN OD MAX,6.184IN ID NOM	1	EA
62	3610	60045976	ADAPTER,TUBING HEAD,13-5/8IN 5000PSI WP STUDDERED BTM,11.00IN 5000PSI WP STUDDERED TOP,RECEIVE TUBING HANGER,TYPE A-4	1	EA
63	3610	60045978	KIT,ASSY,TUBING HANGER,13-1/2X7IN PREMIEM	1	EA
64	3610	60046352	RUNNING TOOL,BAKER 'A',FOR 5.75IN BLKG PLUG & CHK VLV	1	EA
65	3610	60046353	RUNNING TOOL,BAKER 'A',FOR 5.625IN BLKG PLUG & CHK VLV	1	EA
66	3610	60046357	CONTROL LINE,1/4IN OD,0.049IN WALL THK,250FT LG,INCOLOY 825	2	EA
67	3610	60046433	PROBE,5.750-5.812IN,3.250IN NATIONAL BOX UP,3.375IN NATIONAL BOX DOWN,4.010IN OD,13.75IN LG,41XX/P110 STL 110MYS ST	1	EA
68	3610	60046434	PROBE,5.625IN,2.579IN NATIONAL BOX UP,2.500IN NATIONAL BOX DOWN,3.950IN OD,14.00IN LG,41XX/P110 STL 110MYS STD,ZINC OR MANGANESE PHOSHPATE COATING	1	EA
69	3610	60046636	PUP JOINT,5IN,VAM FJL,15PPF,13CR80,2M LG	2	EA
70	3610	60046637	PUP JOINT,5IN,VAM FJL,15PPF,13CR80,3M LG	1	EA
71	3610	60046638	SHOE,FLOAT,5IN,15.00PPF,VAM FJL,13CR-L80,2-3/4IN SUPER SEAL II VLV,DOWNJET CONV FILL,PDC DRILLABL,MODEL 323DE	1	EA
72	3610	60046640	SHOE,FLOAT,7IN,29.00PPF,JFE BEAR,13CR-L80,2-3/4IN SUPER SEAL II VLV,DOWNJET CONV FILL,PDC DRILLABL,MODEL 323DE	1	EA
73	3610	60046641	COLLAR,FLOAT,5IN,2-3/4IN SUPER SEAL II VLV,13CRL80,15.00PPF,VAM FJL	1	EA
74	3610	60046642	COLLAR,FLOAT,7IN,2-3/4IN SUPER SEAL II VLV,13CRL80,29.00PPF,JFE BEAR,24T NR PLUG SEAT	1	EA

S.#	Plant	Material	Material Description Long Text	Qty on Hand	UoM
75	3610	60046801	SHOE,FLOAT,9-5/8IN,43.50-53.50PPF,KAWASAKI FOX,L-80,4-1/4IN SUPER SEAL 11 VALVE	1	EA
76	3610	60046803	COLLAR,FLOAT,4-1/4IN SUPER SEAL II VLV,L80,54.50 TO 72.00PPF,13-3/8IN BUTTRESS,24T NR PLUG SEAT	1	EA
77	3610	60047090	CROSSOVER,CASING,9-5/8IN TENARIS 3SB PIN,JFE FOX PIN,L80,53.50PPF,2M LG	2	EA
78	3610	60047091	PUP JOINT,9-5/8IN,FOX BOX X PIN,53.5PPF,L80,2M LG	2	EA
79	3610	60047092	PUP JOINT,9-5/8IN,FOX BOX X PIN,53.5PPF,L80,3M LG	2	EA
80	3610	60047093	PUP JOINT,9-5/8IN,FOX BOX X PIN,53.5PPF,L80,6M LG	3	EA
81	3610	60047094	PUP JOINT,7IN,BEAR PIN X PIN,29PPF,13CR80,1M LG	3	EA
82	3610	60047095	PUP JOINT,7IN,BEAR BOX X PIN,29PPF,13CR80,1M LG	7	EA
83	3610	60047096	PUP JOINT,7IN,BEAR BOX X PIN,29PPF,13CR80,2M LG	10	EA
84	3610	60047097	PUP JOINT,7IN,BEAR BOX X PIN,29PPF,13CR80,4M LG	2	EA
85	3610	60047098	PUP JOINT,7IN,BEAR BOX X PIN,29PPF,13CR80,6M LG	3	EA
86	3610	60047099	CROSSOVER,CASING,7IN JFE FOX BOX,7IN JFE BEAR PIN,13CR80,29.00PPF,1M LG	4	EA
87	3610	60047100	CROSSOVER,CASING,7IN JFE FOX BOX,7IN JFE BEAR PIN,13CR80,29.00PPF,2M LG	6	EA
88	3610	60047101	CROSSOVER,CASING,7IN JFE BEAR BOX,7IN JFE FOX PIN,13CR80,29.00PPF,1M LG	2	EA
89	3610	60047102	CROSSOVER,CASING,7IN JFE BEAR BOX,7IN JFE FOX PIN,13CR80,29.00PPF,2M LG	2	EA
90	3610	60047103	CROSSOVER,CASING,4-1/2IN IF BOX,7IN 29.00PPF JFE BEAR PIN,13CR80,0.5M LG	2	EA
91	3610	60047104	PLUG,TEST,1/2IN NPT,7IN 29.00PPF JFE BEAR PIN,P110	2	EA
92	3610	60047105	CAP,TEST,1/2IN NPT,7IN 29.00PPF JFE BEAR BOX	1	EA
93	3610	60047627	CASING,20IN,RL4S BOX X FLOAT SHOE,129.33PPF,X56,SHOE JOINT,40FT LG,0.625IN WALL THK,C/W DAVIS LYNCH 500-T-PVTS,SGL VLV FLOAT SHOE,10	1	EA
94	3610	60047629	CASING,20IN,RL4S BOX X PIN,129.33PPF,X56,40FT LG,0.625IN WALL THK,70K,100% VOLUMETRIC INSPECTION,APT 5L,CONN GIRTH WELD TO ABL1104	2	EA
95	3610	60047697	PACKOFF ASSY,13-7/8IN NOM OD X 9.13IN OD,A-75 TYPE,9-5/8IN CLASS II,PSI 2 TEMP CLA	2	EA
96	3610	60048706	CASING,13-3/8IN,BUTTRESS (BTC) BOX X PIN,68PPF,N80,RANGE 3	12	JT
97	3610	60048707	CASING,9-5/8IN,FOX BOX X PIN,53.5PPF,L80,RANGE 3	33	JT

S.#	Plant	Material	Material Description Long Text	Qty on Hand	UoM
98	3610	60048709	CASING,5IN,VAM FJL BOX X PIN,15PPF,13CRL80,RANGE 3	43	JT
99	3610	60049712	NIPPLE,SEATING,7.000IN,AOF TOP NO-GO,BELOW PACKER,7.00IN JFE BEAR PREMIUM BOX,7.00IN JFE BEAR PREMIUM PIN,29.00PPF,13CRL80,10000PSI	1	EA
100	3610	60049713	GUIDE,WIRELINE ENTRY,7.00IN,29.00PPF,STL BOX X HALF MULE SHOE,13CRA 80KSI MYS	1	EA
101	3610	60049714	CLAMP,CROSS COUPLING,SGL BORE CONTROL LINE,1/4IN,7.000IN,29.00PPF TUBING	24	EA
102	3610	60049761	COLLAR,FLOAT,4-1/4IN SUPER SEAL II VLV,L80,43.50-53.50PPF,9-5/8IN KAWASAKI FOX,24T NR PLUG SEAT	1	EA
103	3610	60050614	SHOE,CSG,FLOAT,13-3/8IN,BTC,N80,RANGE 3	1	EA
104	3610	60050811	CASING,7IN,BEAR BOX X PIN,29PPF,13CRL80,RANGE 3	147	EA
105	3610	60051110	PLUG,CEMENTING,CSG,13-3/8IN,NON-ROT,TOP,48-72LBS/FT,12.070IN TO 12.715IN ID CASING,24 TOOTH	1	EA
106	3610	60051111	PLUG,CEMENTING,CSG,13-3/8IN,NON-ROT,BOTTOM,48-72LBS/FT,12.070IN TO 12.715IN ID CASING,24 TOOTH	1	EA
107	3610	60051113	PLUG,CEMENTING,CSG,9-5/8IN,NON-ROT,TOP,29.3-53.5LBS/FT,24 TOOTH,8.400IN TO 9.063IN ID CASING	1	EA
108	3610	60051114	PLUG,CEMENTING,CSG,9-5/8IN,NON-ROT,BOTTOM,29.3-53.5LBS/FT,24 TOOTH,8.400IN TO 9.063IN ID CASING	1	EA
109	3610	60051963	SUB,TBG,ALIGNMENT GUIDE,9-5/8IN X 7IN X 5-1/2IN,7IN JFE BEAR BOX UP,BOX UP 8.250IN OD BELL BTM GDE,GDE 13CR-80 KSI MYS,SUIT 7IN 29LB	2	EA
110	3610	60052050	ROPE,WIRE,SUPA 75,BRAIDED,0.125IN DIA,2030LBF MBF,2185LBF TBL WIRELINE SPOOL/25.000FT	1	EA
111	3610	60052204	CROSSOVER,CASING,5-1/2IN NK3SB PIN,4-1/2IN IF BOX,L80,1M LG	2	EA
112	3610	60054177	CROSSOVER,CASING,5-1/2IN 17PPF JFE FOX BOX,7IN 29PPF JFE BEAR PIN,13CR80,4FT LG	1	EA
113	3610	60054178	CROSSOVER,CASING,7IN 29PPF JFE BEAR BOX,5-1/2IN 20PPF JFE FOX PIN,13CR80,4FT LG	1	EA
114	3610	271104	CASING,20IN,RL4S BOX X PIN,X56,RANGE 3,1IN X 0.625IN WALL THK,API 5L	2	JT
115	3610	1243706	CASING,13-3/8IN,BUTTRESS (BTC) BOX X PIN,68PPF,L80,INT JT,RANGE 3	2	EA

S.#	Plant	Material	Material Description Long Text	Qty on Hand	UoM
116	3610	2006307	CASING,7IN,NK3SB BOX X PIN,29PPF,L80,INT JT,RANGE 3,C/W CLOSED END THD PROTECTORS	23	EA
117	3610	2006310	PUP JOINT,5-1/2IN,NK3SB BOX X PIN,17PPF,13CR80,1.5M LG,C/W CLOSED END THD PROTECTORS	3	JT
118	3610	2006311	PUP JOINT,5-1/2IN,NK3SB BOX X PIN,17PPF,13CR80,3M LG,C/W CLOSED END THD PROTECTORS	1	JT
119	3610	2006313	PUP JOINT,7IN,NK3SB BOX X PIN,29PPF,L80,1.5M LG,C/W CLOSED END THD PROTECTORS	6	JT
120	3610	2006315	TUBING,4-1/2IN,NK3SB BOX X PIN,12.6PPF,L80,RANGE 2,0.271IN WALL THK,3.85IN DRIFT	30	JT
121	3610	2006334	GAUGE,PRESS,0-5000PSI,4-1/2IN DIAL,1/2IN NPT	1	EA
122	3610	2006357	CARRIER,ASSY,5IN NOM	5	EA
123	3610	2006385	PLUG,TEST,5IN	3	EA
124	3610	2006390	VALVE,GATE,TYPE HWO,2-1/16IN NB,N-6 TRIM,FLG,5000PSI	1	EA
125	3610	2006423	COLLAR,STOP,SLIP-ON TYPE,9-5/8IN	60	EA
126	3610	2006429	CENTRALIZER,STA0 NON-WELD SPRG BOW TYPE,4-1/2IN,6IN OD	30	EA
127	3610	2006433	PLUG,CMTN,13-3/8IN,NON-ROTATING,TOP,PDC DRILLABLE	1	EA
128	3610	2006434	PLUG,CEMENTING,13-3/8IN,BOTTOM,PDC DRILLABLE,NON ROT	1	EA
129	3610	2006437	PLUG,CEMENTING,9-5/8" TOP,PDC DRILLABLE NON-ROTATING	1	EA
130	3610	2006438	PLUG,CEMENTING,9-5/8" BOTTOM,PDC DRILLABLE NON-ROTATING	1	EA
131	3610	2006491	CASING,5IN,NK3SB BOX X PIN,18PPF,13CR80,INT JT,RANGE 3,C/W CLOSED END THD PROTECTORS	2	EA
132	3610	2006579	PUP JOINT,9-5/8IN,NK3SB BOX X PIN,53.5PPF,L80,1.5M LG	2	JT
133	3610	2006580	PUP JOINT,9-5/8IN,NK3SB BOX X PIN,53.5PPF,L80,3M LG	2	JT
134	3610	2006581	PUP JOINT,9-5/8IN,NK3SB BOX X PIN,53.5PPF,L80,7M LG	2	JT
135	3610	2006607	WEAR BUSHING,WCA,11IN NOM SIZE	1	EA
136	3610	2006608	TOOL,TEST PLUG,RETRIEVING,COMB,WC 11IN	1	EA
137	3610	2006632	COUPLING,CSG,5-1/2IN,17PPF,GDE L80-13CR,NK3SB	1	EA
138	3610	2006632	COUPLING,CSG,5-1/2IN,17PPF,GDE L80-13CR,NK3SB	5	EA
139	3610	2006641	PLUG,TEST,7IN,29PPF,NK3SB PIN,1/2IN NPT F,AISI 4145	1	EA
140	3610	2006657	PUP JOINT,5-1/2IN,NK3SB PIN X PIN,17PPF,13CR80,1.5M LG,C/W CLOSED END THD PROTECTORS	1	JT

S.#	Plant	Material	Material Description Long Text	Qty on Hand	UoM
141	3610	2006711	CROSSOVER,CASING,4-1/2IN NEW NK3SB BOX,4-1/2IN NK3SB PIN,4140/L80,18-22HRC,12.75PPF,20IN OAL	3	EA
142	3610	2006762	WEAR BUSHING	1	EA
143	3610	2006764	TEST PLUG/RETRIEVING TOOL COMBINATION WELLHEAD:DC 13-5/8"	1	EA
144	3610	2006814	BIT,DRILL,4-1/8IN,DIAMOND,R437,1209550	1	EA
145	3610	2007911	PUP JOINT,9-5/8IN,NK3SB BOX X PIN,53.5PPF,L80,6.1M LG	4	JT
146	3610	2007912	COUPLING,CSG,5-1/2IN,GDE 13CR-80,FOX K	20	EA
147	3610	2007913	COUPLING,CSG,4-1/2IN,GDE 13CR-80,FOX K	10	EA
148	3610	2007918	VALVE,BLOCK ASSY KOP 5-1/8" 5000PSI	1	EA
149	3610	2007919	CAP,CHRISTMAS TREE,5000PSI,5-1/2IN FLG X 5-7/8IN ACME THD,C/W CPLG NUT & BLANKING PLUG	1	EA
150	3610	2007936	CASING,20IN,RL4S,X56,CONDUCTOR,3M LG	1	JT
151	3610	2007966	SEAL,SLV,FMC WELLHEAD,TYPE SBMS,F6-NM SS,5.75IN DIA	4	EA
152	3610	2007967	ADAPTER,TUBING HD,FMC WELLHEAD,TYPE A-4,SS410,13-5/8IN 5000PSI STUDED BTM,7-1/16IN 5000PSI STUDED TOP	1	EA
153	3610	2008023	INSERT,VLV,4.562IN	1	EA
154	3610	2008038	CROSSOVER,CASING,5-1/2IN NK3SB PIN,5-1/2IN FOX PIN,13CR80,1.8M LG	6	EA
155	3610	2008039	CROSSOVER,CASING,5-1/2IN FOX PIN,5-1/2IN NK3SB BOX,13CR80,17.00PPF,1.8M LG	5	EA
156	3610	2008047	CASING,7IN,NK3SB BOX X PIN,29PPF,L80,INT JT,RANGE 3,C/W BOX & PIN END PROTECTORS,API 5CT	50	EA
157	3610	2008048	PUP JOINT,5-1/2IN,FOX BOX X PIN,17PPF,13CR80,0.61M LG	4	EA
158	3610	2008052	PUP JOINT,5-1/2IN,FOX BOX X PIN,17PPF,13CR80,2.44M LG	4	EA
159	3610	2008053	PUP JOINT,5-1/2IN,FOX BOX X PIN,17PPF,13CR80,3.05M LG	4	EA
160	3610	2008054	PUP JOINT,5-1/2IN,FOX BOX X PIN,17PPF,13CR80,4.57M LG	6	EA
161	3610	2008055	PUP JOINT,5-1/2IN,FOX BOX X PIN,17PPF,13CR80,6.1M LG	4	EA
162	3610	60000020	CENTRALIZER,NON-WELD SPRG BOW,9-5/8IN	8	EA
163	3610	60000021	CENTRALIZER,NON-WELD SPRG BOW,13-3/8IN	9	EA
164	3610	60000140	CENTRALIZER,RH SPIRAL,4-1/2IN SOLID TYPE (4-3/8"ID),5-5/8IN OD (5.625"),ALUMINIUM,8" LONG	46	EA
165	3610	60000141	COLLAR,STOP,SLIP ON,4-1/2IN	143	EA

S.#	Plant	Material	Material Description Long Text	Qty on Hand	UoM
166	3610	60000175	PROTECTOR,CROSS COUPLING CONTROL LINE,5-1/2" 17PPF	25	EA
167	3610	60000176	PROTECTOR,MID JOINT CONTROL LINE,5-1/2" 17PPF	37	EA
168	3610	60000220	CASING,13-3/8IN,BUTTRESS (BTC) BOX X PIN,72PPF,N80,INT JOINT,RANGE 3,SMLS,C/W CLOSED END THD PROTECTORS,SUMITOMO API-5CT	7	JT
169	3610	60000227	PLUG,CMTN 13-3/8" BTM WEATH CSPB1314	3	EA
170	3610	60000243	GUIDE,WRLN ENTRY,5-1/2IN 17PPF FOX K BOX UP,GDE 13CR-80,C/W 1 PUP JOINT 2007907	1	EA
171	3610	60000346	CASING,7IN,FOX K BOX X PIN,29PPF,13CRL80,RANGE 2,API 5CT	26	EA
172	3610	60000683	GUIDE,WRLN ENTRY,5-1/2IN,20PPF FOX K BOX X 1/2 MULE SH,GDE 13CRL80	1	EA
173	3610	60001195	PLUG,TEST,5-1/2IN,17PPF,FOX PIN X 1/2IN NPT BOX,L-80	1	EA
174	3610	60001436	DRIFT,WELL CSG,20IN,1IN WALL THK,17.80IN DIA,STL	1	EA
175	3610	60001692	PACKER,CSG,13-3/8IN	2	EA
176	3610	60001878	SUB: CENT 5-1/2" X 8.30"OD FOX-K B X P	1	EA
177	3610	60001878	SUB: CENT 5-1/2" X 8.30"OD FOX-K B X P	1	EA
178	3610	60003375	SEAL,FS,9-5/8IN PACKOFF BUSHING,10.775OD X 0.680CS X 0.990LG,T = 350DEG F,MATERIAL:HNBR	4	EA
179	3610	60003463	PLUG,TEST,7IN,29PPF,FOX K LOW TORQUE PIN,4140/4145 (28-36HRC),C/W 1/2IN NPT TEST PORT	2	EA
180	3610	60003590	KIT: REDRESS 5.750" AFV CHK VLV	6	EA
181	3610	60003820	PACKOFF ASSY,13-3/8IN NOM DIA,TYPE UHA,2 X FS SEALS, 2 X S SEALS,FS & S SEALS HI TEMP MATL	1	EA
182	3610	60004256	PUP JOINT,7IN,FOX K PIN X PIN,29PPF,13CR80,2M LG,API SPEC 5CT	1	EA
183	3610	60004266	ASSEMBLY,WIRELINE ENTRY GUIDE,CASING PUP JT,7IN 29PPF 13CR FOX-K B X P,CASING X-O PUP JT,7IN FOX-K B X 5-1/2IN FOX-K P,CASING PUP JT	1	EA
184	3610	60004277	ASSEMBLY,TBG HANGER,PAK-HGR-300,TC-1A-EMS,6-5/16IN NOM,7IN LH ACME LIFT THREAD TOP,7IN FOX-K BOX BOTTOM,SS 410,7IN,29PPF,FOX-K PIN X	1	EA
185	3610	60004392	PROTECTOR,7IN FOX-K X COUPL PROTECTORS,1/4IN BARE CONTROL LINE INSIDE,9-5/8IN CASING.,ASTM A216 GDE WCB	15	EA

S.#	Plant	Material	Material Description Long Text	Qty on Hand	UoM
186	3610	60005244	PUP JOINT,7IN,FOX K BOX X PIN,29PPF,13CR80,4M LG,API SPEC 5CT	2	EA
187	3610	60005246	PUP JOINT,7IN,FOX K BOX X PIN,29PPF,13CR80,5M LG,API SPEC 5CT	2	EA
188	3610	60005249	CROSSOVER,CASING,7IN VAM TOP HT BOX,7IN FOX K PIN,13CR80,29.00PPF,66CM LG	2	EA
189	3610	60005250	CROSSOVER,CASING,5IN 18.00PPF NEW VAM BOX,4-1/2IN 12.60PPF FOX K PIN,410/420,66CM LG	2	EA
190	3610	60005332	PUP JOINT,5IN,NEW VAM BOX X PIN,18PPF,13CR80,4.5M LG	1	EA
191	3610	60005705	ASSEMBLY,PACKER,TYPE PAK-SB3-04,7" 29PPF FOX-K PIN TOP,7" 29PPF FOX-K PIN BOTTOM,8.250" OD X 6.059" ID,13CR80	1	EA
192	3610	60006192	NUBBIN,LIFT,5IN VAM FJL 18PPF PIN,6IN LG,4140 STEEL	4	EA
193	3610	60007275	ASSEMBLY,TRSV,5-1/2" 17PPF,FOX K BOX X PIN,4.562" RPT LOCK PROFILE	1	AY
194	3610	60007277	ASSEMBLY,NIPPLE,5-1/2" 17PPF,4.500" RPT,FOX K BOX X PIN,13CR80	1	AY
195	3610	60007280	ASSEMBLY,PACKER,9-5/8" AHC HYDROSET,5-1/2" 17PPF,FOX K BOX X PIN,13CR80	1	AY
196	3610	60007282	ASSEMBLY: PAK-RPT 4.437-01,NIPPLE 5-1/2" 17PPF FOX K BOX X PIN	1	AY
197	3610	60007286	ASSEMBLY,WIRELINE ENTRY GUIDE,5-1/2" 17PPF,FOX BOX UP,13CR80	1	AY
198	3610	60007288	ASSEMBLY,TUBING HANGER,13-3/8" X 5-1/2",FOX K PIN DOWN,W/ TYPE H BVP PROFILE	1	AY